

11000 Series

HIGH-TECH COMPUTERIZED WATER DISPENSER

ACUO
we care about the water you drink



W435 x D490 x H1390 (mm)

UPGRADED DESIGN & SUPERIOR EFFICIENCY



EXCEPTIONAL ENERGY EFFICIENCY

Improved temperature preservation design, saving up to 27% more energy everyday!*

*Energy usage level in 24hrs under temperature preservation mode compared to previous model



CLEAN & SAFE DRINKING WATER

Guaranteed Boiling of cold, warm and hot water before dispensed. Automatically suspends water supply when hot water is below 90°C to prevent untreated tap water. Step Inlet ensures tap water does not mix with filtered and boiled water.



CUSTOMIZED STERILIZATION SYSTEM

Allows users to pre-set time and period of complete sterilization (1-7 times per week) with boiling water and flushing of all pipes. System automatically activates Sterilization according to its settings.



SLEEP MODE FUNCTION

Allows users to pre-set time and period of "Sleep Mode" to conserve energy when water dispenser is not in use. System automatically activates Sleep Mode and resumes to normal operations according to its settings. Highly recommended for offices, clinics, hospitals, etc... environment to save costs during off-work hours and weekends.

11000 Series HIGH-TECH COMPUTERIZED WATER DISPENSER

ACUO
we care about the water you drink

REMOVABLE DRIP TRAY

Convenient cleaning and maintenance



NEW PANEL DESIGN

Cleaner and more user-friendly interface for intuitive access.



BUILT-IN FILTRATION SYSTEM

UF-10P5C DUAL-PURPOSE Super-Refined
Activated Carbon Filter



Step One:

5 micron PP Filter
Effectively filters out mud,
sand, rust and other
particles and sediments.

Step Two:

Activated Carbon Filter
Removes color, odor and
extracts chemicals such as
chloride, pesticides and
heavy metals from the
water.



UF-504
60G R.O. Membrane

0.0001 micron filters out
virus, germs, toxics and heavy
metals such as mercury,
cadmium... etc, providing
clean and safe drinking water.



UF-21 Disposable Post
Activated Carbon Filter

For the final polishing of
water in Reverse Osmosis
systems, to remove unpleas-
ant taste and odors from the
water stored in tank, to
produce cleaner, clearer,
better tasting water.

SPECIFICATIONS

Model	Type	Voltage	Hot Power Consumption	Cold Power Consumption	Hot Tank	Cold Tank	Warm Tank	Hot Water Capacity	Cold Water Capacity
UO-11000AS	Cold / Warm / Hot	110V/220V	1100W / 2000W	245W	22L	4L	10L	32L/hr(110V) 60L/hr(220V)	17L / HR
UO-11000BS	Warm / Hot	110V/220V	1100W / 2000W	-	22L	-	10L	32L/hr(110V) 60L/hr(220V)	-

Voltage can be customized based on requirement.
Hot Water 90°C±10°C : Cold Water 15°C±10°C